



WEIGH TO GO

*fisher*brand



OHAUS



sartorius



Fisherbrand offers quality, reliability and value. The comprehensive range of laboratory balances are ideally suited to meet a wide range of routine weighing applications. The balances will fit in to research, academic and industrial laboratories with readability to down to 0.1mg for accurate applications and maximum weighing capacity up to 6kg for bulk handling.

Solid design for everyday performance and consistent reproducibility

Simple and intuitive interface for ease of use and maximized ergonomics

Compact space saving design

Fisherbrand Analytical Balances

fisherbrand



The Fisherbrand Analytical Balances are ideal for meeting the routine weighing needs of most labs. Features easy to clean draft shield, upfront level indicator and selectable environmental settings.

Certifications: FCC, CE

Two year warranty

Cat. No	Description
15395103	Analytical Balance 60g/0.1mg internal calibration
15315113	Analytical Balance 210g/0.1mg internal calibration
15305113	Analytical Balance 210g/0.1mg external calibration

Fisherbrand Precision Series Balances

fisherbrand



The Fisherbrand Precision Series Balance is ideal for working in slow filling applications where sensitivity is a must. With the right combination of performance and features, these balances offer uncomplicated operation for all your basic weighing needs.

Certifications: FCC, CE

Two year warranty

Cat. No	Description
15325113	Precision Balance 210g/1mg, external calibration
15345113	Precision Balance 410g/1mg, internal calibration
15335113	Precision Balance 410g/1mg, external calibration
15385113	Precision Balance 2000g/0.01g, internal calibration
15355113	Precision Balance 2000g/0.01g, external calibration
15395113	Precision Balance 4000g/0.01g, internal calibration
15365113	Precision Balance 4000g/0.01g, external calibration
15375113	Precision Balance 4000g/0.1g, external calibration

Fisherbrand Compact Balances

fisherbrand



Uniquely designed for a wide variety of applications, these balances feature easy operation, long battery life and great performance.

Three AA batteries (included) or optional A.C. adapter

Two year warranty

Cat. No	Description
15305103	Compact Balance 200g/0.1g, external calibration
15315103	Compact Balance 500g/0.1g, external calibration
15325103	Compact Balance 2kg/1g, external calibration
15335103	Compact Balance 5kg/1g, external calibration

Fisherbrand Portable Balances

fisherbrand



Fisher Scientific's best-selling portable balance, featuring easy to use two button operation, high contrast LCD display, multiple weighing units and the option of either RS232 or USB connectivity.

A.C. adapter (included) or four AA batteries (not included)

Two year warranty

Cat. No	Description
15365103	Portable Balance 120g/0.001g, external calibration
15345103	Portable Balance 200g/0.01g, external calibration
15355103	Portable Balance 600g/0.01g, external calibration
15375103	Portable Balance 2000g/0.1g, external calibration
15385103	Portable Balance 6000g/0.1g, external calibration



OHAUS has been the brand of choice for customers who are looking for high quality weighing products at an affordable price for over 100 years. With vast experience in the design, development and marketing of scales and balances in the laboratory, industrial, education and food markets, OHAUS has earned its reputation as a trusted global supplier of precise and reliable products that meet virtually any weighing need.

Full featured and easy to use balances to meet virtually any weighing need across many market segments.

Heritage & History: With over 100 years of experience OHAUS are established as a trusted global supplier of precise and reliable balances and scales.

Industry Leadership: OHAUS has grown from a small scale repair business to an undisputed global leader in the weighing industry manufacturing reliable, full-featured yet easy-to-use balances and scales at an exceptional value.

Ingenious Portfolio: OHAUS's rich history and extensive industry knowledge have resulted in a comprehensive line of high-performance balances and scales that continually meet customers' weighing needs at economical and cost-effective prices.

Service & Support: OHAUS's vast library of information will answer most questions about products' features, maintenance, applications, and potential uses. They have a large array of literature including brochures, data sheets, product tutorials, calibration guides, user manuals, and how-to-guides that provides the information necessary to ensure that their products will best meet your needs

Manufactured to ISO 9001:2008

Adventurer™ AX Analytical and Precision Balances



Striking the ideal balance between inventive features and functional, uncomplicated weighing capabilities and delivers stable and reliable weighing results for routine weighing tasks.



Two year warranty

Cat No.	Description
15395033	Analytical Balance Adventurer AX124 120g/0.1mg
15325043	Analytical Balance Adventurer AX224 220g/0.1mg
15355043	Analytical Balance Adventurer AX324 320g/0.1mg
15305053	Precision Balance Adventurer AX424 420g/1mg
15581926	Precision Balance Adventurer AX422 420g/0.01g
15315063	Precision Balance Adventurer AX2202 2,200g/0.01g
15345063	Precision Balance Adventurer AX4202 4,200g/0.01g
15553883	Precision Balance Adventurer AX4201 4,200g/0.01g

Pioneer™ PA Precision Balances



Designed for reliable routine weighing at an affordable price.

The Pioneer Precision balances are equipped to handle a variety of laboratory, industrial and education applications. Available as both external and internal calibration models.



Two year warranty

Cat No.	Description
15674264	Precision Balance PA124, 120g x 0.1mg,
15634274	Precision Balance PA224C, 220g x 0.1mg, Internal Cal
15604284	Precision Balance PA223, 220g x 1mg
15614284	Precision Balance PA423, 420g x 1mg
15694264	Precision Balance PA2202, 2200g x 0.01g
15604274	Pioneer PA4202, 4200g x 0.01g

Explorer™ EX Analytical and Precision Balances



The Explorer has risen to the next level of ingenuity; expanding on its modern features and design to offer unmatched functionality and performance.



Two year warranty

Cat No.	Description
15446101	Analytical Semi-Micro Balance EX225M/AD, 220g, 0.01mg
15349032	Analytical Balance Explorer EX124/AD, 120g/0.1mg
15369032	Precision Balance Explorer EX224/AD, 220g/0.1mg
15309042	Precision Balance Explorer EX223/E, 220g/1mg
15319042	Precision Balance Explorer EX423/E, 420g/1mg
15359042	Precision Balance Explorer EX6201/E6, 200g/0.1mg
15329042	Precision Balance Explorer EX2202/E2, 200g/0.01mg
15339042	Precision Balance Explorer EX4202/E4, 200g/0.01mg
15349042	Precision Balance Explorer EX6202/E6, 200g/0.01mg

Scout™ STX /SKX Precision Portable Balances



Setting new standards in laboratory and industrial weighing - the next generation of scout balances feature an easy to navigate colour touchscreen display (STX models only) and a slim design which allows stackable storage.



Two year warranty

Cat No.	Description
15549611	Advanced Portable Balance Scout STX 120g/1mg
15559611	Advanced Portable Balance Scout STX 220g/1mg
15529621	Advanced Portable Balance Scout STX 620g/0.1g
15509621	Advanced Portable Balance Scout STX 2200g/10mg
15529631	Portable Balance Scout SKX 420g/0.1g
15509631	Portable Balance Scout SKX 1200g/10mg
15559631	Portable Balance Scout SKX 6200g/0.1g
15569631	Portable Balance Scout SKX 8200g/1g

BALANCE SELECTION GUIDE



IBS	Brand	Model	Part Number	Weighing range	Precision	Calibration
15653816	Sartorius	Secura	SECURA26-1S	20g	2µg	Internal

Readability 0.0001mg (0.1 µg)

15476091	Ohaus	Explorer	EX125D	120g	0.01mg	Internal
15508310	Sartorius	Quintix	QUINTIX125D-1S	120g	0.01mg	Internal

Readability 0.001mg (1 µg)

15395103	Fisherbrand	Fisherbrand Analytical	PAS64C	60g	0.1mg	Internal
15293883	Sartorius	Entris	ENTRIS64-1S	60g	0.1mg	Internal
15398811	Sartorius	Quintix	QUINTIX64-1S	60g	0.1mg	Internal
15349032	Ohaus	Explorer	EX124/AD	120g	0.1mg	Internal
15303043	Ohaus	Adventurer	AX124/E	120g	0.1mg	External
15624274	Ohaus	Pioneer	PA124C	120g	0.1mg	Internal
1524913	Sartorius	Entris	ENTRIS124-1S	120g	0.1mg	External
15213903	Sartorius	Entris	ENTRIS124I-1S	120g	0.1mg	Internal
15562990	Sartorius	Practum	PRACTUM2102-1S	120g	0.1mg	External
13512980	Sartorius	Quintix	QUINTIX124-1S	120g	0.1mg	Internal
13542970	Sartorius	Secura	SECURA124-1S	120g	0.1mg	Internal

15315113	Fisherbrand	Fisherbrand Analytical	PAS214C	210g	0.1mg	Internal
15253903	Sartorius	Entris	ENTRIS224-1S	220g	0.1mg	External
11820113	Ohaus	Explorer	EX224	220g	0.1mg	Internal
15369032	Ohaus	Explorer	EX224/AD	220g	0.1mg	Internal
15335043	Ohaus	Adventurer	AX224/E	220g	0.1mg	External
15684264	Ohaus	Pioneer	PA224	220g	0.1mg	External
15634274	Ohaus	Pioneer	PA224C	220g	0.1mg	Internal
15253903	Sartorius	Entris	ENTRIS224-1S	220g	0.1mg	External
15263903	Sartorius	Entris	ENTRIS224I-1S	220g	0.1mg	Internal
13542990	Sartorius	Practum	PRACTUM313-1S	220g	0.1mg	External
13502980	Sartorius	Quintix	QUINTIX224-1S	220g	0.1mg	Internal
13512970	Sartorius	Secura	SECURA224-1S	220g	0.1mg	Internal
15326198	Sartorius	Secura	SECURA225D-1S	220g	0.1mg	Internal
15389032	Ohaus	Explorer	EX24/AD	320g	0.1mg	Internal
15305113	Fisherbrand	Fisherbrand Analytical	PAS214	410g	0.1mg	External
15480563	Sartorius	Entris	ENTRIS64-1S	620g	0.1mg	External

Readability 0.1mg (100µg)

15365103	Fisherbrand	Fisherbrand portable	PSS123	120g	1mg	External
15549611	Ohaus	Scout STX	STX123	120g	1mg	External
15568621	Ohaus	Scout SKX	SKX123	120g	1mg	External
15283913	Sartorius	Entris	ENTRIS153-1S	150g	1mg	External
15325113	Fisherbrand	Fisherbrand Precision	PPS213	210g	1mg	External
13522990	Sartorius	Practum	PRACTUM224-1S	210g	1mg	External
13522980	Sartorius	Quintix	QUINTIX213-1S	210g	1mg	Internal
13592970	Sartorius	Secura	SECURA213-1S	210g	1mg	Internal
11860113	Ohaus	Explorer	EX223	220g	1mg	Internal
15385043	Ohaus	Adventurer	AX223/E	220g	1mg	External
15604264	Ohaus	Pioneer	PA223	220g	1mg	External
15624264	Ohaus	Pioneer	PA223C	220g	1mg	Internal
15559611	Ohaus	Scout STX	STX223	220g	1mg	External
15369052	Ohaus	Traveler	TA301	300g	1mg	External
13503000	Sartorius	Practum	PRACTUM5100-1S	310g	1mg	External
15332980	Sartorius	Quintix	QUINTIX313-1S	310g	1mg	Internal
13532970	Sartorius	Secura	SECURA313-1S	310g	1mg	Internal
15203903	Sartorius	Entris	ENTRIS223-1S	320g	1mg	External
15253903	Sartorius	Entris	ENTRIS323I-1S	320g	1mg	Internal
15335113	Fisherbrand	Fisherbrand Precision	PPS413	410g	1mg	External
15345113	Fisherbrand	Fisherbrand Precision	PPS413C	410g	1mg	Internal

IBS	Brand	Model	Part Number	Weighing range	Precision	Calibration
15319042	Ohaus	Explorer	EX423/E	420g	1mg	External
11870113	Ohaus	Explorer	EX423	420g	1mg	Internal
15315053	Ohaus	Adventurer	AX423/E	420g	1mg	External
15614264	Ohaus	Pioneer	PA423	420g	1mg	External
15634264	Ohaus	Pioneer	PA423C	420g	1mg	Internal
15223903	Sartorius	Entris	ENTRIS423-1S	420g	1mg	Internal
15379052	Ohaus	Traveler	TA501	500g	1mg	External
13522980	Sartorius	Quintix	QUINTIX513-1S	510g	1mg	Internal
13522970	Sartorius	Secura	SECURA513-1S	510g	1mg	Internal
15345053	Ohaus	Adventurer	AX523/E	520g	1mg	External
15284247	Sartorius	Secura	SECURA613-1S	610g	1mg	Internal
15346811	Sartorius	Entris	ENTRIS623-1S	620g	1mg	External
15203903	Sartorius	Entris	ENTRIS623I-1S	620g	1mg	Internal
11800123	Ohaus	Explorer	EX1103	1100g	1mg	Internal
10440085	Sartorius	Cubis	MSA12201S-000-DO	1200g	1mg	Internal
10556085	Sartorius	Cubis	MSI12201S-000-DO	1200g	1mg	Internal
15273913	Sartorius	Entris	ENTRIS423-1S	4200g	1mg	External

Readability 0.001g (1mg) (1000µg)

15519420	Sartorius	Quintix	QUINTIX35-1S	30g	0.01g	Internal
15681114	Sartorius	Quintix	QUINTIX65-1S	60g	0.01g	Internal
15345103	Fisherbrand	Fisherbrand portable	PSS202	200g	0.01g	External
11884333	Ohaus	Navigator IV	NW212	210g	0.01g	External
13522990	Sartorius	Practum	PRACTUM213-1S	210g	0.01g	External
15569611	Ohaus	Scout STX	STX222	220g	0.01g	External
15579621	Ohaus	Scout SKX	SKX222	220g	0.01g	External
15223903	Sartorius	Entris	ENTRIS3202-1S	220g	0.01g	External
11701268	Ohaus	Traveler	TA302	300g	0.01g	External
15386811	Sartorius	Quintix	QUINTIX412-1S	400g	0.01g	Internal
15591926	Ohaus	Adventurer	AX422/E	420g	0.01g	External
15579611	Ohaus	Scout STX	STX422	420g	0.01g	External
15589621	Ohaus	Scout SKX	SKX422	420g	0.01g	External
11711268	Ohaus	Traveler	TA502	500g	0.01g	External
15355103	Fisherbrand	Fisherbrand portable	PSS602	600g	0.01g	External
13592980	Sartorius	Quintix	QUINTIX612-1S	610g	0.01g	Internal
15253956	Sartorius	Quintix	QUINTIX613-1S	610g	0.01g	Internal
15460573	Sartorius	Secura	SECURA612-1S	610g	0.01g	Internal
15589611	Ohaus	Scout STX	STX622	620g	0.01g	External
15599621	Ohaus	Scout SKX	SKX622	620g	0.01g	External
15591936	Ohaus	Adventurer	AX822	820g	0.01g	External
15511936	Ohaus	Adventurer	AX822/E	820g	0.01g	External
15283263	Sartorius	Entris	ENTRIS822-1S	820g	0.01g	External
15293903	Sartorius	Entris	ENTRIS822I-1S	820g	0.01g	Internal
13532990	Sartorius	Practum	PRACTUM224-1S	1100g	0.01g	External
13582980	Sartorius	Quintix	QUINTIX1102-1S	1100g	0.01g	Internal
13562970	Sartorius	Secura	SECURA1102-1S	1100g	0.01g	External
13572990	Sartorius	Practum	PRACTUM1102-1S	1100g	0.01g	Internal
15599611	Ohaus	Scout STX	STX1202	1200g	0.01g	External
15509631	Ohaus	Scout SKX	SKX1202	1200g	0.01g	External
15385053	Ohaus	Adventurer	AX1502	1500g	0.01g	Internal
15395053	Ohaus	Adventurer	AX1502/E	1500g	0.01g	External
15385113	Fisherbrand	Fisherbrand Precision	PPS2102C	2000g	0.01g	Internal
15355113	Fisherbrand	Fisherbrand Precision	PPS2102	2000g	0.01g	External
15320563	Ohaus	Adventurer	AX2202/E	2000g	0.01g	External
13562980	Sartorius	Quintix	QUINTIX2102-1S	2100g	0.01g	Internal
13572970	Sartorius	Secura	SECURA2102-1S	2100g	0.01g	Internal
11820123	Ohaus	Explorer	EX2202	2200g	0.01g	Internal
15694264	Ohaus	Pioneer	PA2202	2200g	0.01g	External
15644274	Ohaus	Pioneer	PA2202C	2200g	0.01g	Internal

BALANCE SELECTION GUIDE CONT.



IBS	Brand	Model	Part Number	Weighting range	Precision	Calibration
15009621	Ohaus	Scout STX	STX2202	2200g	0,01g	External
15519631	Ohaus	Scout SKX	SKX2202	2200g	0,01g	External
15233923	Sartorius	Entris	ENTRIS2202-1S	2200g	0,01g	External
15283903	Sartorius	Entris	ENTRIS2202-1S	2200g	0,01g	Internal
15276707	Sartorius	Practum	PRACTUM102-1S	3100g	0,01g	External
13572980	Sartorius	Quintix	QUINTIX102-1S	3100g	0,01g	External
13552970	Sartorius	Secura	SECURA102-1S	3100g	0,01g	Internal
15273903	Sartorius	Entris	ENTRIS3202-1S	3200g	0,01g	Internal
15365113	Fisherbrand	Fisherbrand Precision	PPS4102	4100g	0,01g	External
15395113	Fisherbrand	Fisherbrand Precision	PPS4102C	4100g	0,01g	Internal
15339042	Ohaus	Explorer	EX4202/E	4200g	0,01g	External
15350663	Ohaus	Adventurer	AX4202/E	4200g	0,01g	External
11830123	Ohaus	Explorer	EX4202	4200g	0,01g	Internal
15604274	Ohaus	Pioneer	PA4202	4200g	0,01g	External
15653554	Ohaus	Pioneer	PA4202C	4200g	0,01g	Internal
15203913	Sartorius	Entris	ENTRIS4202-1S	4200g	0,01g	External
15263903	Sartorius	Entris	ENTRIS4202-1S	4200g	0,01g	Internal
13542980	Sartorius	Quintix	QUINTIX102-1S	5100g	0,01g	Internal
13582970	Sartorius	Secura	SECURA102-1S	5100g	0,01g	Internal
10084794	Sartorius	Cubis	MSA5201S-000-DO	5200g	0,01g	Internal
10004574	Sartorius	Cubis	MSE5201S-000-DO	5200g	0,01g	Internal
10257624	Sartorius	Cubis	MSJ5201S-000-DO	5200g	0,01g	Internal
15366811	Sartorius	Quintix	QUINTIX102-1S	6100g	0,01g	Internal
1540573	Sartorius	Secura	SECURA102-1S	6100g	0,01g	Internal
11850123	Ohaus	Explorer	EX6202	6200g	0,01g	Internal
15203923	Sartorius	Entris	ENTRIS6202-1S	6200g	0,01g	External

Readability 0.01g (10mg) (10,000ug)

15305103	Fisherbrand	Fisherbrand compact	CSC201	200g	0,1g	External
11999426	Ohaus	CL	CL201	220g	0,1g	External
10349444	Sartorius	Cubis	MSJ12201S-000-DO	220g	0,1g	Internal
15519621	Ohaus	Scout STX	STX421	420g	0,1g	External
15529631	Ohaus	Scout SKX	SKX421	420g	0,1g	External
15315103	Fisherbrand	Fisherbrand compact	CSC501	500g	0,1g	External
11909436	Ohaus	CL	CL501	500g	0,1g	External
11804353	Ohaus	Navigator XL	NVL511	510g	0,1g	External
11804343	Ohaus	Navigator NV	NV511	510g	0,1g	External
15529621	Ohaus	Scout STX	STX621	620g	0,1g	External
15539631	Ohaus	Scout SKX	SKX621	620g	0,1g	External
11824353	Ohaus	Navigator XL	NVL1101	1100g	0,1g	External
11824343	Ohaus	Navigator NV	NV1101	1100g	0,1g	External
11741268	Ohaus	Traveler	TA1501	1500g	0,1g	External
11742028	Ohaus	Navigator XT	NVT1601	1600g	0,1g	External
15375103	Fisherbrand	Fisherbrand portable	PSS2001	2000g	0,1g	External
11844353	Ohaus	Navigator XL	NVL2101	2100g	0,1g	External
11844343	Ohaus	Navigator NV	NV2101	2100g	0,1g	External
15376811	Sartorius	Quintix	QUINTIX2101-1S	2100g	0,1g	Internal
15531936	Ohaus	Adventurer	AX2201/E	2200g	0,1g	External
15539621	Ohaus	Scout STX	STX2201	2200g	0,1g	External
15549631	Ohaus	Scout SKX	SKX2201	2200g	0,1g	External
15273923	Sartorius	Entris	Laboratory balance with Int. Cal. 150 g.	2200g	0,1g	External
15223913	Sartorius	Entris	ENTRIS2201-1S	2200g	0,1g	Internal
11751268	Ohaus	Traveler	TA3001	3000g	0,1g	External
11752028	Ohaus	Navigator XT	NVT3201	3200g	0,1g	External
15375113	Fisherbrand	Fisherbrand Precision	PPS4101	4100g	0,1g	External
11884343	Ohaus	Navigator NV	NV4101	4100g	0,1g	External
15614274	Ohaus	Pioneer	PA4201	4200g	0,1g	External

IBS	Brand	Model	Part Number	Weighting range	Precision	Calibration
15654274	Ohaus	Pioneer	PA4201C	4200g	0,1g	Internal
15553883	Ohaus	Adventurer	AX4201	4200g	0,1g	Internal
15563883	Ohaus	Adventurer	AX4201/E	4200g	0,1g	External
11864353	Ohaus	Navigator XL	NVL5101	5100g	0,1g	External
11884343	Ohaus	Navigator NV	NV5101	5100g	0,1g	External
13582990	Sartorius	Practum	PRACTUM612-1S	5100g	0,1g	External
13502990	Sartorius	Quintix	QUINTIX5101-1S	5100g	0,1g	Internal
15263923	Sartorius	Entris	ENTRIS5201-1S	5200g	0,1g	External
15234946	Sartorius	Entris	ENTRIS5201-1S	5200g	0,1g	Internal
1534298	Sartorius	Cubis essential	MSE5201S-ED15	5200g	0,1g	Internal
12160032	Sartorius	Cubis	MSA5201S-100-DO	5200g	0,1g	Internal
13175889	Sartorius	Cubis	MSE5201S-100-DO	5200g	0,1g	Internal
15350103	Fisherbrand	Fisherbrand portable	PSS6001	6000g	0,1g	External
15356811	Sartorius	Quintix	QUINTIX6101-1S	6100g	0,1g	Internal
11880123	Ohaus	Explorer	EX6201	6200g	0,1g	Internal
15549621	Ohaus	Scout STX	STX621	6200g	0,1g	External
15559631	Ohaus	Scout SKX	SKX621	6200g	0,1g	External
15243903	Sartorius	Entris	ENTRIS6202-1S	6200g	0,1g	Internal
11762028	Ohaus	Navigator XT	NVT6401	6400g	0,1g	External
15533883	Ohaus	Adventurer	AX6201	8200g	0,1g	External
15543883	Ohaus	Adventurer	AX6201/E	8200g	0,1g	External
15420573	Sartorius	Entris	ENTRIS8201-1S	8200g	0,1g	External
15203913	Sartorius	Entris	ENTRIS8201-1S	8200g	0,1g	Internal
10237634	Sartorius	Cubis	MSA8201S-000-DO	8200g	0,1g	Internal
10288214	Sartorius	Cubis	MSE8201S-000-DO	8200g	0,1g	Internal
10094644	Sartorius	Cubis	MSJ8201S-000-DO	8200g	0,1g	Internal
15394268	Sartorius	Cubis essential	MSE8201S-ED15	8200g	0,1g	Internal
11772028	Ohaus	Navigator XT	NVT10001	10Kg	0,1g	External
11880123	Ohaus	Explorer	EX10202	10,2Kg	0,1g	Internal
15354298	Sartorius	Cubis essential	MSE12201S-ED15	12,2Kg	0,1g	Internal
15304308	Sartorius	Cubis essential	MSE20201S-ED15	20,2Kg	0,1g	Internal
15520355	Sartorius	Cubis	MSA20201S-000-DO	20,2Kg	0,1g	Internal
15384298	Sartorius	Cubis essential	MSE36201S-ED15	36,2Kg	0,1g	Internal
15318401	Sartorius	Cubis	MSE36201S-000-DO	36,2Kg	0,1g	Internal
15625014	Sartorius	Cubis	MSE70201S-000-DO	70,2Kg	0,1g	Internal

Readability 0.1g (100mg) (100,000ug)

10639852	Ohaus	Compact	CS200	200g	1g	External
15325103	Fisherbrand	Fisherbrand compact	CSC2000	2000g	1g	External
12310659	Ohaus	Compact	CS2000	2000g	1g	External
11918436	Ohaus	CL	CL2000	2000g	1g	External
15325103	Fisherbrand	Fisherbrand compact	CSC5000	5000g	1g	External
11761268	Ohaus	Traveler	TA5000	5000g	1g	External
10773007	Ohaus	Compact	CS5000	5000g	1g	External
11929436	Ohaus	CL	CL5000	5000g	1g	External
13582990	Sartorius	Practum	PRACTUM101-1S	5100g	1g	External
13512990	Sartorius	Quintix	QUINTIX100-1S	5100g	1g	Internal
15346811	Sartorius	Quintix	QUINTIX100-1S	6100g	1g	Internal
15559621	Ohaus	Scout STX	STX8200	8200g	1g	External
15569631	Ohaus	Scout SKX	SKX8200	8200g	1g	External
11874353	Ohaus	Navigator XL	NVL10000	10Kg	1g	External
11880123	Ohaus	Explorer	EX10201	10,2Kg	1g	Internal
11782028	Ohaus	Navigator XT	NVT16000	16Kg	1g	External
11884353	Ohaus	Navigator XL	NVL20000	20Kg	1g	External



Goettingen-based Sartorius Lab Products & Services is a leading international supplier of premium laboratory instruments and a leading innovator of scales, balances and other weighing equipment and has been for over 140 years; they are the maker of some of the world's finest balances since 1871 when they introduced the world's first laboratory balance.

Although Sartorius has its own production facilities in Europe, the weighing portfolio is produced and assembled in the Goettingen headquarters, guaranteeing highest quality made in Germany.

Cubis™ Semi Micro Analytical and Precision Balances



High-performance laboratory balance for use in regulated areas, such as pharmaceutical laboratories that must comply with the strictest requirements.



With advanced pharma compliance functions to fully support you in obtaining qualified results

Completely modular design: configure your balance just the way you want it.


Two year warranty

Cat. No	Description
12783325	Cubis Supermicro Balance 2.1g x 0.0001mg
12881756	Cubis Semi-micro Balance 60/120g x 0.01/0.1mg
15186856	Cubis MSA Analytical 220g x 0.1mg
15103812	Cubis Analytical Balance 224g x 0.1mg
11888511	Cubis MSU Series Precision Balance 620g x 1g

Quintix™ Analytical and Precision Balances



Sartorius™ Quintix™ weighing balances provide reliable and accurate results for smart and efficient weighing. Peace of mind with isoCAL: automatic internal adjustment for consistently accurate results



Easy and convenient data transfer for simplified data processing


Two year warranty

Cat. No	Description
15396811	Quintix® Analytical Balance 60 g / 0.1mg
13512980	Quintix® Analytical Balance 120 g / 0.1mg
13502980	Quintix® Analytical Balance 220 g / 0.1mg
13532980	Quintix® Precision Balance 310g / 1mg
13522980	Quintix® Precision Balance 210 g / 1mg
15253956	Quintix® Precision Balance 610 g / 1mg

Entris™ Analytical and Top Pan Balances



The classic laboratory balance. Specially designed to let you accomplish a large number of simple routine weighing tasks effectively and reliably.



User-friendly operation and excellent readability

Easy cleaning: save time

Two year warranty

Cat. No	Description
15253913	Entris Balance Analytical 60g x 0.1mg
15283913	Entris Balance Top Pan 150g x 0.001g
15233913	Entris Balance Analytical 220g x 0.1mg
15273913	Entris Balance Top Pan 420g x 0.001g
15263913	Entris Balance Top Pan 620g x 0.001g

Balance Table



Sartorius balance table is made from synthetic stone, except for the shock adsorbers. The table's solid material provides excellent support for balances to meet the highest weighing requirements.



Cat. No	Description
10529341	Weighing Table



Fisherbrand Moisture Analyser

fisherbrand

The Fisherbrand moisture analyser features high quality durable construction and easy one button set up. With a large backlit LCD display, standard RS232 port, 60g capacity with a readability of 0.005g/0.05% and halogen heating, it is ideal for food analysis, quality control, waste water analysis, and an endless number of industrial, environmental and life science applications.



Two year warranty

Cat. No	Description
15305123	Moisture Analyser MBS65 60g/5mg, external calibration

Sartorius Moisture Analysers

 **sartorius**

Designed for daily routine use in production or lab, quality control or inspection of incoming raw materials. Sartorius infrared moisture analyser has a rugged design and is user-friendly with a concise display that shows important information at a glance.



Two year warranty

Cat. No	Description
10601775	MA35 Infrared Moisture Analyser, basic model in the Sartorius series of moisture analysers
15237519	MA37 Infrared Moisture Analyser, for daily routine laboratory applications
10793153	MA100 Infrared Moisture Analyser, highest possible accuracy that a thermogravimetric moisture meter can currently offer
12837142	LMA200 Moisture Meter with microwave drying produces results up to 300 x faster than a drying oven for samples with high moisture content

OHAUS MB Moisture Analysers



Professional moisture analysers for advanced moisture analysis



Measuring moisture content has never been easier than with the OHAUS moisture analysers. Geared to increase precision and efficiency in the lab, these moisture analysers feature a precisely controlled halogen (or ceramic for the MB23) heating system which helps to yield fast and repeatable results with readability up to 0.01%. The robust housing and die-cast structure is designed for easy, tool-free cleaning and durability.

Two year warranty

Cat. No	Description
11854411	MB23 Moisture Analyser, capacity 120g, moisture readability content 1mg/0.1%
10739448	MB25 Moisture Analyser, capacity 110g, moisture readability content 5mg/0.05%
15545029	MB90 Moisture Analyser, capacity 90g, moisture readability content 1mg/0.01%
15535029	MB120 Moisture Analyser, capacity 120g, moisture readability content 1mg/0.01%



new lab start-up programme

Set Your Lab in Motion

www.eu.fishersci.com



Cat. No	Description
11744416	Fisherbrand Traceable™ Spatula Balance, 300g Capacity, Accuracy 0.1g



Cat. No	Description
12972850	Fisherbrand Polystyrene Diamond-Shaped Standard Weighing Boats



Cat. No	Description
11918094	Fisherbrand Aluminium Weighing Dishes



Cat. No	Description
11754059	Fisherbrand Disposable Aluminium Weighing/Drying Pans



Cat. No	Description
15539641	OHAUS Stacking Kit Allows Stacking of Six Units (Models STX, SPX, SJX/E)



Cat. No	Description
15599631	OHAUS USB Host Interface for Scout STX/SPX Models



Cat. No	Description
15466101	Anti-Static Ionizer, ION-100A



Cat. No	Description
13445129	OHAUS Impact Dot Matrix Printer, SF40A



Cat. No	Description
10553461	Sartorius Stainless Steel Cylindrical Weights



Cat. No	Description
14811441	Sartorius Laboratory Thermal Transfer Printer YDP30



Cat. No	Description
10663182	Sartorius Printer Rolls



Cat. No	Description
10440253	Sartorius Disposable Sample Pans

Need Technical Support? Then we can help here too!

Our Product Support Advisors are all highly qualified professionals who are ready to support and guide you

WHAT OUR CUSTOMERS SAY ABOUT OUR PRODUCT SUPPORT

"I was very impressed by the knowledge and professionalism shown... both telephone calls and emails were responded to immediately and it felt like a tech support call, not a sales call..."

"... we were extremely satisfied with the experience overall! Your specialist could not have been more helpful, dealing so professionally, speedily and friendly with every query..."

"... speed, appropriate technical knowledge and appropriate/clear/thorough response are what matters and are exactly what I got. Thank you..."

© 2017 Thermo Fisher Scientific Inc. All rights reserved.
Trademarks used are owned as indicated at: fishersci.com/trademarks.

Austria: +43 (0)800-20 88 40 Belgium: +32 (0)56 260 260 Denmark: +45 70 27 99 20
Germany: +49 (0)2304 9325 Ireland: +353 (0)1 885 5854 Italy: +39 02 950 59 478
Finland: +358 (0)9 8027 6280 France: +33 (0)3 88 67 14 14 Netherlands: +31 (0)20 487 70 00
Norway: +47 22 95 59 59 Portugal: +351 21 425 33 50 Spain: +34 902 239 303
Sweden: +46 31 352 32 00 Switzerland: +41 (0)56 618 41 11 UK: +44 (0)1509 555 500

 **fisher scientific**
part of Thermo Fisher Scientific